

CONSUMER POWERTOOLS CATALOGUE



CONSUMER POWER TOOLS - BEST IN CLASS RANGE

CORDED



BEH201-GB

450W Hammer Drill



CS1250L-GB 1250W

Circ Saw

RS890K-GB 400W



KW1200E-GB

1200W Router



BEH200-GB

500W Hammer Drill



BEH850K-GB

850W

KS890ECN-GB

400W **Scorpion Saw**



KA88-GB

KW750K-GB 750W Planer

MT300KA-GB

300W Oscillating

Multi Tool



720W **Belt Sander**



KA88-GB

720W



KD860KA-GB

600W

SDS Drill

BES510-GB

Mini

Circ Saw

Belt Sander





BEG210K-GB

910W 115mm

Grinder

BEG010A5-GB

710W 115mm Grinder



BES601-GB

400W Jigsaw



KS801SEK-GB

550WJigsaw



KA450-GB

220W 1/4 **Sheet Sander**



BEW220-GB

150W 1/3 Sheet Sander



BEW210-GB

230W 125mm ROS



WM825-XJ

Deluxe Dual Height Workmate



MT218K-GB 18V Multi Evo

CS3653LC-GB

3.6V

Screwdriver

BDCD8-GB

7.2V Compact Drill



3.6V Pivoting Screwdriver





3.6V

BCD001C1-GB

18V

Compact Drill



BCF611CK-GB

Rapid Driver



BCD700S1K-GB

BDCDS18-GB

18V Mouse Sander



BCD003C1-GB

18V 2 Speed



BCD900D1K

Hammer Drill





BDCROS18-GB

18V 125mm ROS



BCK25S2S-GB

18V Twin Kit With Soft Bag



12V DC High **Pressure Inflator**



KX2200K-GB

2000W Heat gun



KX3300T-GB

2300W Wallpaper Stripper



HVLP200-GB

400W HVLP Paint Sprayer



BDPR400-XJ

Speedy Roller



BCG720M1-GB

18V Grinder /Cut off tool



SCREWDRIVING



UK SCREWDRIVING RANGE





CS3653LC-GB

3.6v Lithium Screwdriver







Feature	Result
Charge Time	2.5 hours
Max Torque	6Nm
No Load Speed	190 rpm
Reverse	No





CS3652LC-GB

3.6v Lithium Screwdriver







Feature	Result		
Charge Time 15 hours			
Max Torque	5.5Nm		
No Load Speed	180 rpm		
Reverse	No		







CS3651LC-GB

3.6v Lithium Screwdriver







Feature	Result
Charge Time	15 hours
Max Torque	5Nm
No Load Speed	180 rpm
Reverse	No





CS36BSC-GB

3.6v Roto-Bit Storage Lithium Screwdriver







Feature	Result
Charge Time	10 hours
Max Torque	5.5Nm
No Load Speed	180 rpm
Reverse	No







BDCSFL20C-GB

3.6v Lithium Screwdriver With Flash Light 5.5Nm







Feature	Result
Charge Time	10 hours
Max Torque	5.5Nm
No Load Speed	180 rpm
Reverse	No





BDCSFS30C-GB

3.6v Lithium Screwdriver With Flash Light and 30 Acc 5.5Nm







Feature	Result
Charge Time	10 hours
Max Torque	5.5Nm
No Load Speed	180 rpm
Reverse	No



Lithium Ion battery holds charge for up to 18 months



BCF601C-XJ

3.6v Alkaline In-Line Screwdriver







Feature	Result
Charge Time	N/A
Max Torque	5Nm
No Load Speed	220 rpm
Reverse	Yes





BCF602C-GB

3.6V Li-Ion In-Line Screwdriver














BCF603C-GB

3.6V Li-Ion In-Line Screwdriver With Tin



5.5Nm of torque provide optimum force and performance for all screwdriving tasks



Extendable arm provides the flexibility to reach into confined spaces



Storage Tin

Forward / reverse switch is easily / accessible for switching quickly between applications

Compact size enables easy screwdriving in all areas

Feature	Result
Charge Time	3.75 hours
Max Torque	5.5Nm
No Load Speed	180 rpm
Reverse	Yes





3¾ hours charge time to ensure screwdriver is always

ready for the task in hand







3.6v Rapid Screwdriver

NEW

BCF611CK-GB

3.6v Rapid Screwdriver







Feature	Result
Charge Time	1 hour
Max Torque	5.5Nm
No Load Speed	180 rpm
Reverse	Yes





UK SCREWDRIVING SPEC

NEW

	THE STATE OF THE S			E00210			S CONTRACTOR OF THE PARTY OF TH			
SKU	BCF601C-XJ	CS3651LC-GB	BCF602C-GB	CS36BSC-GB	BDCSFL20C-GB	CS3652LC-GB	BCF611CK-GB	BCF603C-GB	CS3653LC-GB	BDCSFS30C-GB
EAN	5035048699904	5035048555958	5035048699928	5035048650691	5035048669006	5035048556917	Missing	5035048699959	5035048494059	5035048669051
PRODUCT TYPE	Screwdriver	Screwdriver	Screwdriver	Screwdriver	Screwdriver	Screwdriver	Screwdriver	Screwdriver	Screwdriver	Screwdriver
POWER (V/W)	6.0V	3.6V	3.6V	3.6V	3.6V	3.6V	3.6V	3.6V	3.6V	3.6V
BATTERY CAPACITY	N/A	1.5Ah	1.5Ah	1.5Ah	1.5Ah	1.5Ah	1.5Ah	1.5Ah	1.5Ah	1.5Ah
CHARGE TIME	N/A	15 hrs	3.75 hrs	10 hrs	10 hrs	15 hrs	1 hr	3.75 hrs	2.5 hrs	10 hrs
MAX TORQUE	5Nm	5Nm	5.5Nm	5.5Nm	5.5Nm	5.5Nm	5.5Nm	5.5Nm	6Nm	5.5Nm
NO LOAD SPEED	220 rpm	180 rpm	180 rpm	180 rpm	180 rpm	180 rpm	180 rpm	180 rpm	190 rpm	180 rpm
REVERSE	Yes	No	Yes	No	No	No	Yes	Yes	No	No
SPEED	Single	Single	Single	Single	Single	Single	Pivoting Trigger	Single	Single	Missing
DIMENSIONS	19.5x9.5x5.5cm	17x6x15cm	30.5x5x4.5cm	20x4x4cm	21.5x7x15cm	17.5x15x5.5cm	14.5x4x12.5cm	30.5x5x4.5cm	19x7x15cm	21.5x8.5x15.3cm
WEIGHT	0.33Kg	0.57Kg	0.3Kg	0.3Kg	0.4Kg	0.64Kg	0.64Kg	0.3Kg	0.72Kg	0.4Kg
PRICE	£19.99	£26.99	£29.99	£32.99	£32.99	£32.99	£32-35	£34.99	£37.99	£37.99



INFLATORS





ASI400-XJ

12v DC High Volume High Pressure Inflator







Feature Result

Capacity 160 PSI

Auto Switch-off Yes

12V DC Adapter Yes





WORKMATES



UK WORKMATE RANGE





Workmate



Workmate Workbench

Folds flat for compact

storage and easy transport



Feature	Result
Vice Jaw Opening	0-115mm
Vice Jaw Length	610mm
Max Table Width (Jaws Open)	341mm
Vice Jaw Positions	0
Maximum Load	160Kg





WM536-XJ

Deluxe Dual Height Workbench







Feature	Result
Vice Jaw Opening	0-136mm
Vice Jaw Length	610mm
Max Table Width (Jaws Open)	384mm
Vice Jaw Positions	1
Maximum Load	250Kg





WM626-XJ

Dual height Workmate





Folds flat for compact storage and easy transport



Feature	Result
Vice Jaw Opening	0-136mm
Vice Jaw Length	740mm
Max Table Width (Jaws Open)	384mm
Vice Jaw Positions	1
Maximum Load	250kg






WM825-XJ

Deluxe Dual Height Workmate







Feature	Result
Vice Jaw Opening	0-205mm
Vice Jaw Length	740mm
Max Table Width (Jaws Open)	541mm
Vice Jaw Positions	3
Maximum Load	250Kg





UK WORKMATE SPEC









SKU	WM301-XJ	WM536-XJ	WM626-XJ	WM825-XJ
EAN	5035048103678	5011402100170	5011402100514	5011402155729
WORKING HEIGHTS	760mm	775/595mm	775/595mm	800/620mm
FOLDING SIZE (WxHxD)	630x890x130mm	610x740x195mm	742x740x200mm	830x740x200mm
VICE JAW OPENING	0-115mm	0-136mm	0-136mm	0-205mm
VICE JAW LENGTH	610mm	610mm	740mm	740mm
MAX TABLE WIDTH (JAWS OPEN)	341mm	384mm	384mm	541mm
VICE JAW POSITIONS	0	1	1	3
MAXIMUM LOAD	160Kg	250Kg	250kg	250Kg
VERTICAL CLAMPING	No	No	No	Yes
VICE JAW MATERIAL	Compressed Bamboo	Particle Board	Particle Board	Particle Board
ONE HANDED OPERATION	No	No	No	Yes
DIMENSIONS	84x15.5x12.5cm	72x62.5x17cm	75.5x71x17.5cm	83x75x22.5cm
WEIGHT	6.6Kg	11Kg	11.83Kg	19.01Kg
PRICE	£32.99	£64.99	£86.99	£107.99



HEAT GUNS



UK HEAT GUN RANGE






KX1650-GB

1750w Heat Gun







Feature	Result
Temp Range	460-600°C
Air Flow	570/740 l/min
Heat Settings	2
Cable Length	2m

www.blackanddecker.com

			1
		BEASER	
1	100	San Tarak	



KX2001K-GB

2000w Corded Heat Gun With Kitbox







Feature	Result
Temp Range	50-450/90-600°C
Air Flow	300/500 l/min
Heat Settings	Variable
Cable Length	3m





KX2200K-GB

2000w Corded Heat Gun





Powerful heat gun kit for all applications, ideal for stripping paint, varnish, adhesives and a variety of other applications



Feature	Result
Temp Range	65-645°C
Air Flow	360/720 l/min
Heat Settings	Variable
Cable Length	3m





UK HEAT GUN SPEC



35.5x30x13cm

0.85Kg

£43.99

36x30.5x12cm

0.9Kg

£53.99

SKU

EAN

AIR FLOW

SOFT GRIP

KITBOX

DIMENSIONS

WEIGHT

PRICE

23.5x23.5x7.5cm

0.6Kg

£26.99




DECORATING



2300w Wallpaper Stripper

KX3300T-GB

2300w Wallpaper Stripper







Feature	Result
Capacity	4L
Runtime	60 mins
Hose Length	3.65m
Cable Length	3m






Speedy Roller

BDPR400-XJ

Speedy Roller











20% off BDPRA09 20% off BDPRA18

YEAR GUARANTIE ANG DE GARANTIE

JAAR GARANTIE JAHRE GARANTIE
ANNI GARANZIA ANG GARANTIA
SPONIA EREFIEZH ANG GARANTIA
WWW.blackanddecker.com



HVLP200-GB

400W HVLP Hand Held Paint Sprayer











DETECTORS



UK WIRE DETECTOR RANGE





BLACK+ DECKER

BDS200-XJ

Pipe & Wire Detector









Feature	Result
Depth of Detection (AC Wire)	50mm
Depth of Detection (Wooden Studs)	
Depth of Detection (Metal Studs)	50mm
Depth of Detection (Copper Pipes)	25mm





BDS300-XJ

Wood, Metal Pipe & AC Live Wire Detector



Multi sensor for wood, metal pipe and AC live wire detection



Feature	Result
Depth of Detection (AC Wire)	50mm
Depth of Detection (Wooden Studs)	19mm
Depth of Detection (Metal Studs)	50mm
Depth of Detection (Copper Pipes)	25mm







BDS303-XJ

Stud, pipe and wire detector with LCD screen







Feature	Result
Depth of Detection (AC Wire)	100mm
Depth of Detection (Wooden Studs)	19mm
Depth of Detection (Metal Studs)	45mm
Depth of Detection (Copper Pipes)	25mm





UK DETECTOR SPEC



SKU	BDS200-XJ	BDS300-XJ	BDS303-XJ
EAN	5035048141779	5035048136010	5035048187074
POWER (V/W)	9V Alkaline	9V Alkaline	9V Alkaline
DEPTH OF DETECTION - AC WIRE	50mm	50mm	100mm
DEPTH OF DETECTION - WOODEN STUDS	0mm	19mm	19mm
DEPTH OF DETECTION - METAL STUDS	50mm	50mm	45mm
DEPTH OF DETECTION - COPPER PIPES	25mm	25mm	25mm
TYPE OF DETECTION	Wood, Metal pipes, AC live wires	Stud, Metal, AC live wires	3-in-1
DIMENSIONS	23.7x12.5x6.8cm	27.3x15.7x6.5cm	30.5x17.2x7.5cm
WEIGHT	0.2Kg	0.29Kg	0.405Kg
PRICE	£26.99	£37.99	£43.99



ELECTRONIC TOOLS



BDL120-XJ

Manual Laser Level



Unit projects a laser line along the wall



Feature	Result
Class	2
Accuracy	+/-1mm @1m º
Total Visible Line Span	3m
Voltage	3V







TLD100-XJ

Thermal Leak Detector





Light indicator shines blue to indicate cold draughts and red to indicate warm draughts









DRILLING - CORDED



UK CORDED DRILL RANGE





BEH201-GB

450w Hammer Drill







Feature Result

No Load Speed 0-2800 rpm

Beats Per Minute 0-48000 bpm

Max. Drilling Capacity (Wood) 10mm

Max. Drilling Capacity (Steel) 6mm

Max. Drilling Capacity (Masonry) 10mm

Cable Length 2m

YEAR GUARANTEE ANS DE GARANTIE
JAAR GARANTIE JAHRE GARANTIE
ANNI GARANZIA ANOS GARANTIA
XPONIA ERRYHZH ANON GARANTIA
www.blackanddecker.com



BEH200-GB

500w / 13mm keyless Hammer Drill







Feature	Result
No Load Speed	0-2900 rpm
Beats Per Minute	32300 bpm
Max. Drilling Capacity (Wood)	20mm
Max. Drilling Capacity (Steel)	13mm
Max. Drilling Capacity (Masonry)	13mm
Cable Length	0-2900 rpm





BEH550K-GB

550W Hammer Drill and Kitbox







Max. Drilling Capacity (Steel) Max. Drilling Capacity (Masonry) Cable Length

Feature

No Load Speed

Beats Per Minute

Max. Drilling Capacity (Wood)

Variable speed offers more control and is essential for screwdriving



Result

0-2800 rpm

47600 bpm

20mm

13mm

13mm



BEH710K-GB

710W Hammer Drill and Kitbox







Lock on button for greater comfort

Variable speed offers more control and is essential for screwdriving

Feature	Result
No Load Speed	0-2800 rpm
Beats Per Minute	47600 bpm
Max. Drilling Capacity (Wood)	25mm
Max. Drilling Capacity (Steel)	13mm
Max. Drilling Capacity (Masonry)	13mm
Cable Length	3m





BEH850K-GB

B+D 850W MPP+ Hammer Drill and Kitbox







Compact and lightweight

Lock on button for greater comfort

Variable speed offers more control and is essential for screwdriving

Feature	Result
No Load Speed	0-3100 rpm
Beats Per Minute	54400 bpm
Max. Drilling Capacity (Wood)	32mm
Max. Drilling Capacity (Steel)	13mm
Max. Drilling Capacity (Masonry)	16mm
Cable Length	3m





600w SDS Drill

KD860KA-GB

600W Corded SDS Drill & Kitbox





Feature	Result
No Load Speed	0-960 rpm
Beats Per Minute	5100 bpm
Max. Drilling Capacity (Wood)	30mm
Max. Drilling Capacity (Steel)	13mm
Max. Drilling Capacity (Masonry)	20mm
Max. Drilling Capacity (Concrete)	20mm
Cable Length	3m

Lock on button for greater comfort

www.blackanddecker.com



UK CORDED DRILLING SPEC













	171		•	•	-	,
SKU	BEH201-GB	BEH200-GB	BEH550K-GB	BEH710K-GB	BEH850K-GB	KD860KA-GB
POWER (W)	450W	500W	550W	710W	850W	600W
NO LOAD SPEED	0-2800 rpm	0-2900 rpm	0-2800 rpm	0-2800 rpm	0-3100 rpm	0-960 rpm
BEATS PER MINUTE	0-48000 bpm	32300 bpm	47600 bpm	47600 bpm	54400 bpm	5100 bpm
MAX DRILLING CAPACITY (WOOD)	10mm	20mm	20mm	25mm	32mm	30mm
MAX DRILLING CAPACITY (STEEL)	6mm	13mm	13mm	13mm	13mm	13mm
MAX DRILLING CAPACITY (MASONRY)	10mm	13mm	13mm	13mm	16mm	20mm
MAX DRILLING CAPACITY (CONCRETE)	N/A	N/A	N/A	N/A	N/A	20mm
CABLE LENGTH	2m	2m	3m	3m	3m	3m
REVERSE ACTION	Yes	Missing	Yes	Yes	Yes	Missing
VARIABLE SPEED	Yes	Missing	Yes	Yes	Yes	No
SPINDLE LOCK	Missing	Missing	Yes	Yes	Yes	Missing
NO. OF GEARS	1	Missing	1	1	1	1
LOCK ON SWITCH	Yes	Yes	Yes	Yes	Yes	Yes
SECONDARY HANDLE	No	Yes	Yes	Yes	Yes	Yes
SOFT GRIP	No	Yes	Yes	Yes	Yes	No
KITBOX	No	No	Yes	Yes	Yes	Yes
SOUND POWER		110 dB(A)				100.5 dB(A)
SOUND PRESSURE		99.0 dB(A)				89.5 dB(A)
VIBRATION	N/A	N/A	N/A	N/A	N/A	13.3 m/s ²
DIMENSIONS	24.7x7.2x26.8cm	26.2x7.5x26.3cm	24x8x25cm	24x8x25cm	29x7x25cm	49x33x12cm
WEIGHT (Kg)	1.6Kg	1.69Kg	1.54Kg	1.54Kg	1.89Kg	5.16Kg
PRICE	£24.99	£34.99	£48.99	£53.99	£75.99	£86.99



DRILLING - CORDLESS



UK CORDLESS DRILL RANGE





BDCD8-GB

7.2V Compact Lithium Ion Drill







Feature	Result
Charge Time	2.5 hours
Max Torque	8/12Nm
No Load Speed	0-400 rpm
Beats Per Minute	N/A
Max. Drilling Capacity (Wood)	20mm
Max. Drilling Capacity (Steel)	10mm





18v Drill Driver

BCD001C1-GB

18V Compact Lithium Ion Drill





Ideal for any DIY drilling and screwdriving jobs around the home, in timber, metals and plastics



11 position clutch provides precise control for drilling

Feature	Result
Charge Time	3.75 hours
Max Torque	37Nm
No Load Speed	0-600 rpm
Beats Per Minute	Missing
Max. Drilling Capacity (Wood)	25mm
Max. Drilling Capacity (Steel)	10mm





18v Drill Driver

BCD001C1K-GB

18V Compact Lithium Ion Drill with Kitbox





Ideal for any DIY drilling and screwdriving jobs around the home, in timber, metals and plastics



11 position clutch provides precise control for drilling

Feature	Result
Charge Time	3.75 hours
Max Torque	37Nm
No Load Speed	0-600 rpm
Beats Per Minute	Missing
Max. Drilling Capacity (Wood)	25mm
Max. Drilling Capacity (Steel)	10mm





18v Drill Driver

BCD001C2K-GB

18V Compact Lithium Ion Drill with Kitbox + 2 Batteries





Ideal for any DIY drilling and screwdriving jobs around the home, in timber, metals and plastics



11 position clutch provides precise control for drilling

Feature	Result
Charge Time	3.75 hours
Max Torque	37Nm
No Load Speed	0-600 rpm
Beats Per Minute	Missing
Max. Drilling Capacity (Wood)	25mm
Max. Drilling Capacity (Steel)	10mm





BCD700S1K-GB

18v Hammer Drill 1 x 1.5Ah Battery charger & Kit box







Feature	Result
Charge Time	3 hrs
Max Torque	40Nm
No Load Speed	0-360/1400 rpm
Beats Per Minute	21000 bpm
Max. Drilling Capacity (Wood)	25mm
Max. Drilling Capacity (Steel)	10mm
Max. Drilling Capacity (Masonry)	10mm





BCD003C1-GB

18V Lithium-ion 2 Speed Hammer Drill with 1x 1.5Ah Battery and 400mA Charger







Feature	Result
Charge Time	3.75 hrs
Max Torque	45Nm
No Load Speed	0-360/1400 rpm
Beats Per Minute	21000 bpm
Max. Drilling Capacity (Wood)	25mm
Max. Drilling Capacity (Steel)	10mm





BCD003C2K-GB

18V Lithium-ion 2 Speed Hammer Drill with 2x 1.5Ah Battery, Kitbox and 400mA Charger







Feature	Result
Charge Time	3.75 hrs
Max Torque	45Nm
No Load Speed	0-360/1400 rpm
Beats Per Minute	21000 bpm
Max. Drilling Capacity (Wood)	25mm
Max. Drilling Capacity (Steel)	10mm





18v SDS+ Hammer Drill

NEW

BCD900B-XJ (Bare) BCD900D1K-GB (1 x 2.0Ah, 1A Cup Charger, Kitbox)

18V SDS+ Hammer Drill







Feature	Result
Charge Time	
Max Torque	
No Load Speed	0-1000>0-1300 rpm
Beats Per Minute	0-5000>0-5500 bpm
Max. Drilling Capacity (Wood)	
Max. Drilling Capacity (Steel)	
Max. Drilling Capacity (Masonry)	



18v Twin Set

BCK25S2S-GB

Impact Driver, Hammer Drill(BCD700), 2 x 1.5Ah Batteries, 400Ma charger and soft bag

2 Gears - High speed for drilling into wood and Steel, Low speed for controlled driving

Hammer action for drilling into masonry and concrete

Quick and simple battery change, and a more secure fit with the clip in battery system



11 position clutch provides precise control for drilling into wood, metal, plastic and all screwdriving tasks

Variable speed for ultimate finger tip control for all drill and screwdriving applications

Impact Driver: 155Nm Torque, For effortless driving & removal of screws & bolts





UK CORDLESS DRILLING SPEC 2019/20

	(1C1K MTO)			(MTO)	NEW	NEW	NEW
SKU	BDCD8-GB	BCD001C1-GB	BCD700S1K-GB	BCD003C1-GB	BCD900B-XJ	BCD900D1K-GB	BCD900D2K-GB
EAN	5035048631737	5035048695098	5035048696880	5035048695210	5035048705032	5035048705285	5035048705322
PRODUCT TYPE	Compact Drill	Compact Drill	Hammer Drill	Hammer Drill	SDS Drill	SDS Drill	SDS Drill
POWER (V/W)	7.2V	18V	18V	18V	18V	18V	18V
BATTERY CAPACITY	1.5Ah	1.5Ah	1.5Ah	1.5Ah	2.0Ah	2.0Ah	2.0Ah
CHARGE TIME	2.5 hrs	3.75 hrs	3 hrs	3.75 hrs	Missing	Missing	Missing
MAX TORQUE	8/12Nm	37Nm	40Nm	45Nm	Missing	Missing	Missing
NO LOAD SPEED	0-400 rpm	0-600 rpm	0-360/1400 rpm	0-360/1400 rpm	0-1000>0-1300 rpm	0-1000>0-1300 rpm	0-1000>0-1300 rpm
BEATS PER MINUTE	N/A	Missing	21000 bpm	21000 bpm	0-5000>0-5500 bpm	0-5000>0-5500 bpm	0-5000>0-5500 bpm
IMPACT ENERGY	N/A	N/A	N/A	N/A	1.3J	1.3J	1.3J
CLUTCH MECHANISM	No	Yes	Yes	Yes	Missing	Missing	Missing
CLUTCH POSITIONS	N/A	11	11	11	Missing	Missing	Missing
CHUCK SIZE	10mm	10mm	10mm	10mm	Missing	Missing	Missing
CHUCK TYPE	Two Sleeve	Two Sleeve	Two Sleeve	Two Sleeve	Missing	Missing	Missing
MAX DRILLING CAPACITY (WOOD)	20mm	25mm	25mm	25mm	Missing	Missing	Missing
MAX DRILLING CAPACITY (STEEL)	10mm	10mm	10mm	10mm	Missing	Missing	Missing
MAX DRILLING CAPACITY (MASONRY)	N/A	N/A	10mm	N/A	Missing	Missing	Missing
MAX DRILLING CAPACITY (CONCRETE)	N/A	N/A	N/A	N/A	Missing	Missing	Missing
REVERSE ACTION	No	Yes	Yes	Yes	Missing	Missing	Missing
VARIABLE SPEED	No	Yes	Yes	Yes	Missing	Missing	Missing
NO. OF GEARS	1	1	2	2	Missing	Missing	Missing
FUNCTIONS	N/A	N/A	N/A	N/A	3	3	3
DIMENSIONS	20x18x6cm	29x21.5x7cm	30x29.3x10.5cm	19x7x20cm	Missing	Missing	Missing
WEIGHT	0.79Kg	1.17Kg	1.3Kg	0.95Kg	Missing	Missing	Missing
SKU WITH KITBOX/2X BATTERY	N/A	BCD001C1K-GB BCD001C2K-GB	N/A	BCD003C2K-GB	BCD900D1K-GB BCD900D2K-GB	BCD900D1K-GB BCD900D2K-GB	BCD900D1K-GB BCD900D2K-GB
PRICE (KIT/KIT+2X BATT)	£29.99	£40.00 (£45/60)	£50.00	£50.00 (/£70)	£100.00	£150.00	£180.00



MULTI TOOLS



MT300KA-GB

300w Oscillating Multi Tool







www.blackanddecker.com

X26150-XJ

3 Piece Cutting Set

300w Oscillating Tool 1x Sanding Pad With integrated dust extraction 1x Precision Plunge Cut Blade 1x Segmented Flush Cut Blade 1x Rigid Scraper Blade 1x Flexible Scraper Blade 6x Sanding Sheets 60, 80 & 120 grit Tooled Accessory Adapter to fit Stanley, Bosch, **Einhell & Worx Tooled Accessories**









18v MultiEvo Multi Tool

MT218K-GB

New MultiEvo





The ultimate 18V drill driver with the patented ability to convert into different power tools



The Multievo™ multi-tool starter kit comes with a drill driver head providing speed and strength to drill the largest holes (25mm) in wood, and metal (10mm)




www.blackanddecker.com



GRINDING




UK GRINDER RANGE





UK 2019 GRINDER RANGE







BEG010A5-GB

710w Grinder 115mm + 4 metal/1 stone cutting discs







CHECK ON DISCS – MIGHT ONLY BE METAL!!!!

No volt release switch prevents the unit starting when plugged in, even if the switch is lock on. Switch must consciously reset before power is delivered[cs]

Feature	Result
Disc Size	115mm
No Load Speed	12000 rpm
No Volt Release Switch	Yes
Soft Start	Yes





BLACK+ DECKER

BEG210K-GB

900W 115mm Grinder + Kit box









in confined spaces

Feature	Result
Disc Size	115mm
No Load Speed	12000 rpm
No Volt Release Switch	No
Soft Start	No





BCG720M1-GB

18v Grinder/Cut off tool- 1 X 4Ah Battery









and a switch that is easier to use in multiple positions

Feature	Result
Disc Size	125mm
No Load Speed	8600 rpm
No Volt Release Switch	No
Soft Start	No





UK GRINDING SPEC

(DISCO JUN 19)






CUTTING



UK CUTTING RANGE







BES601-GB

400w Jigsaw







Feature	Result
Speed	Single
Strokes	3000 s/min
Bevel Cut	0-45°
Depth of Cut (Wood)	65mm
Depth of Cut (Steel)	6mm
Depth of Cut (Aluminum)	
Pendulum Action	No
Tool Free Blade Clamp	No







KS501-GB

400W Corded Jigsaw





Feature	Result
Speed	Single
Strokes	3000 s/min
Bevel Cut	0-45°
Depth of Cut (Wood)	65mm
Depth of Cut (Steel)	5mm
Depth of Cut (Aluminum)	10mm
Pendulum Action	No
Tool Free Blade Clamp	No







KS701EK-GB

520W Corded Jigsaw With Kitbox







Feature	Result
Speed	Variable
Strokes	0-3000 s/m
Bevel Cut	0-45°
Depth of Cut (Wood)	70mm
Depth of Cut (Steel)	5mm
Depth of Cut (Aluminum)	15mm
Pendulum Action	No
Tool Free Blade Clamp	Yes





BLACK+ DECKER

KS801SEK-GB

550W Corded Jigsaw Includes Kitbox







Feature	Result
Speed	Variable
Strokes	1500-3000 s/min
Bevel Cut	0/22°/45°
Depth of Cut (Wood)	80mm
Depth of Cut (Steel)	5mm
Depth of Cut (Aluminium)	15mm
Pendulum Action	Yes
Tool Free Blade Clamp	Yes





1250W CIRC SAW

CS1250L-GB

1250W Corded Circ Saw







Feature	Result		
No Load Speed	5300rpm		
Lock On (Off) Switch	(Yes)		
Paralell Guide	Yes		
Sight Line Facility	Integral laser		
Bevel Cut	0-45°		
Blade Diameter	190mm		
Bore Size	16mm		
Depth of Cut	6mm		





400W SCORPION SAW

KS890ECN-GB

400W Scorpion Saw











Feature	Result
Strokes	0-5500 s/min
Tool Free Blade Clamp	Yes
Lock On (Off) Switch	No
Variable Speed	Yes
Blade Diameter	134/153/239mm

www.blackanddecker.com



400W SCORPION SAW

KS890EK-GB

400W Scorpion Saw

With Kitbox












wood, metal and











500W SCORPION SAW

RS890K-GB

500W Autoselect Scorpion Saw + Kit box





Cuts various material types including, wood, metal and plastic



Feature	Result
Strokes	0-2700 s/min
Tool Free Blade Clamp	No
Lock On (Off) Switch	No
Variable Speed	No
Blade Diameter	134/153/239mm





CORDED MINI CIRCULAR SAW

NEW

BES510-GB

Corded Mini Circular Saw







Secondary Handle



Feature	Result		
No Load Speed	3600 rpm		
Lock On (Off) Switch	Yes		
Paralell Guide	Yes		
Sight Line Facility	Yes		
Bevel Cut	No		
Blade Diameter	85mm		
Bore Size			
Depth of Cut (Wood)	27mm		

YEAR GUARANTIE JAAR GARANTIE JAAR GARANTIA JAHRE GARANTIA ANNI GARANTIA ANNI GARANTIA ANNI GARANTIA WWW.blackanddecker.com

Spindle Lock



Aluminium Shoe With Depth Adjustment

Stable shoe that can be adjusted for optimum cutting at all depths up to 27mm



Dust Extraction Port

Removable adaptor for easy vacuum connection





CORDED MINI CIRCULAR SAW

NEW

BES510K-GB

Corded Mini Circular Saw











Aluminium Shoe With Depth Adjustment Stable shoe that can be adjusted for optimum cutting at all depths up to 27mm



Dust Extraction Port

Removable adaptor for easy vacuum connection



Feature	Result
No Load Speed	3600 rpm
Lock On (Off) Switch	Yes
Paralell Guide	Yes
Sight Line Facility	Yes
Bevel Cut	No
Blade Diameter	85mm
Bore Size	
Depth of Cut (Wood)	27mm





UK CUTTING SPEC

(MTO) NEW

							100	
SKU	BES601-GB	KS501-GB	KS701EK-GB	KS801SEK-GB	CS1250L-GB	BES510-GB	KS890ECN-GB	RS890K-GB
EAN	5035048712580	5035048495759	5035048545812	5035048545881	5035048659199	5035048713907	5035048286494	5035048434673
PRODUCT TYPE	Jigsaw	Jigsaw	Jigsaw	Jigsaw	Circ Saw	Mini Circ Saw	Recip Saw	Recip Saw
POWER (V/W)	400W	400W	520W	550W	1250W	400W	400W	500W
PLUG VOLTAGE	230V	230V	230V	230V	230V	230V	230V	230V
SPEED	Single	Single	Variable	Variable	Single	Single	Variable	Single
NO LOAD SPEED	N/A	N/A	N/A	N/A	5300rpm	3600 rpm	N/A	N/A
STROKES	3000 s/min	3000 s/min	0-3000 s/m	1500-3000 s/min	N/A	N/A	0-5500 s/min	0-2700 s/min
PENDULUM ACTION	No	No	No	Yes	N/A	N/A	N/A	N/A
TOOL FREE BLADE CLAMP	No	No	Yes	Yes	N/A	N/A	Yes	No
LOCK ON (OFF) SWITCH	Yes	Yes	Yes	Yes	(Yes)	Yes	No	No
VARIABLE SPEED	N/A	N/A	N/A	N/A	N/A	N/A	Yes	No
PARALLEL GUIDE	Missing	Missing	Missing	Missing	Yes	Yes	N/A	N/A
SLIGHT LINE FACILITY	Missing	Missing	Missing	Missing	Integral laser	Missing	N/A	N/A
BEVEL CUT	0-45°	0-45°	0-45°	0/22°/45°	0-45°	Missing	Missing	Missing
BLADE DIAMETER	N/A	N/A	N/A	N/A	190mm	85mm	134/153/239mm	134/153/239mm
BORE SIZE	N/A	N/A	N/A	N/A	16mm	Missing	N/A	N/A
DEPTH OF CUT	Missing	Missing	Missing	Missing	6mm	Missing	N/A	N/A
DEPTH OF CUT (WOOD)	65mm	65mm	70mm	80mm	Missing	27mm	N/A	N/A
DEPTH OF CUT (STEEL)	6mm	5mm	5mm	5mm	Missing	Missing	N/A	N/A
DEPTH OF CUT (ALUMINIUM)	Missing	10mm	15mm	15mm	Missing	Missing	N/A	N/A
STROKE LENGTH	18mm	19mm	19mm	19mm	Missing	Missing	N/A	N/A
DUST BLOWER	Yes	Yes	No	No	Missing	Yes	N/A	N/A
DUST EXTRACTION	Yes	No	Yes	Yes	Yes	Missing	N/A	N/A
SOFT GRIP	Yes	No	No	Yes	No	Yes	No	No
KITBOX	No	No	Yes	Yes		Yes/No	Yes/No	Yes
NO. OF BLADES	1	1	1	1	2	2	3	3
CABLE LENGTH	Missing	Missing	Missing	Missing	Missing	2m	3m	3m
SOUND POWER	Missing	96.0 dB(A)	99.0 dB(A)	90.0 dB(A)	102 dB(A)	Missing	100 dB(A)	95.5 dB(A)
SOUND PRESSURE	Missing	85.0 dB(A)	88.0 dB(A)	101 dB(A)	91.0 dB(A)	Missing	87.0 dB(A)	88.5 dB(A)
VIBRATION	Missing	16.2 m/s ²	6.3 m/s ²	5.6 m/s ²	3.6 m/s ²	Missing	Missing	11.6 m/s ²
DIMENSIONS	27x7x16.8cm	29x19x8cm	31x29.5x9cm	30.5x30x10.8cm	34.5x26x21cm	Missing	33x23x8.5cm	32.5x30x10.6cm
WEIGHT	1.6Kg	1.68Kg	2.5Kg	2.98Kg	4.44Kg	=2Kg</td <td>2.235Kg</td> <td>1.78Kg</td>	2.235Kg	1.78Kg
PRICE (KITBOX)	£24.99	£32.99	£43.99	£53.99	£64.99	£64.99	£64.99 (£70.99)	£75.99



SANDING



220W SHEET SANDER

KA450-GB

220w 1/4 Sheet Sander







Feature	Result		
Speed	Single		
No Load Speed	16000 rpm		
Sanding Actions	Orbital		
Orbital Diameter	2mm		
Paper Size	114x114mm		
Paper Attachment	Quick-fit & Clip		
Platten Size	112x108mm		
Cable Length	2m		





150W SHEET SANDER

BEW220-GB

1/3 Sheet Sander 150w





Lightweight sander with front and rear handles for maximum comfort and control



Clip paper attachment holds
paper fast whilst sanding. Easy
fitting or removal of sand paper

Feature	Result
Speed	Single
No Load Speed	0-14000 rpm
Sanding Actions	Orbital
Orbital Diameter	2mm
Paper Size	92x230mm
Paper Attachment	Clip
Platten Size	91x189mm
Cable Length	2m





240W SHEET SANDER

KA320EKA-GB

240w Corded 1/3rd Sheet Sander With Kitbox







Large orbit size and high sander speed for faster material removal

Quick & easy paper change

Feature	Result
Speed	Variable
No Load Speed	7000-15000 rpm
Sanding Actions	Orbital
Orbital Diameter	2mm
Paper Size	92x230mm
Paper Attachment	Quick-fit & Clip
Platten Size	91x189mm
Cable Length	2.3m





260W DUOSAND SANDER

KA330EKA-GB

1/3 Sheet DuoSand 260W Sander

Battery and charger sold separately



clamp attachment



Feature	Result
Speed	Variable
No Load Speed	5000-13000 rpm
Sanding Actions	Orbital
Orbital Diameter	2mm
Paper Size	92x191mm
Paper Attachment	Quick-fit & Clip
Platten Size	90x187mm
Cable Length	3m



** Versus existing Black & Decker® KA320 1/3 sheet sander when tested on painted surfaces



BEW210-GB

230w 125mm ROS







Feature	Result
Speed	Single
No Load Speed	0-13000 rpm
Sanding Actions	Random Oribital
Orbital Diameter	2.4mm
Paper Size	Missing
Paper Attachment	Quick-fit
Platten Size	Missing
Cable Length	2m



Fast material removal - get the job done quicker		
with a powerful motor coupled with a fast sanding		
speed for effortless material removal		



55W MOUSE SANDER

BEW230BCA-GB

55w Mouse + bag + Accs







to access tight corners

Feature	Result
Speed	Single
No Load Speed	11000 rpm
Sanding Actions	Orbital
Orbital Diameter	1.5mm
Paper Size	110x110mm
Paper Attachment	Quick-fit
Platten Size	105x105mm
Cable Length	2m





120W MOUSE SANDER

KA2500K-GB

120w Mouse Sander









Feature Result Speed Single No Load Speed 14000 rpm Sanding Actions Orbital Orbital Diameter 2mm Paper Size 110x110mm Quick-fit Paper Attachment Platten Size 110x110mm

Cable Length

Micro filtration dust canister for optimum dust collection



Missina



220W MULTI SANDER

BEW200-GB

220w Multi Sander







sanding sheet changes with hook and loop paper

Result
Single
12000 rpm
Orbital
2mm
Missing
Quick-fit
100x165mm
2m





720W BELT SANDER

KA86-GB

720w Corded Belt Sander







Feature	Result
Speed	Single
No Load Speed	206 mpm
Paper Size	75/457mm
Belt Dimensions	75/457mm
Belt Width	75mm
Sanding Area	75/145mm
Cable Length	3m





720W BELT SANDER

KA88-GB

720w Corded Belt Sander







Feature	Result
Speed	Single
No Load Speed	250 mpm
Paper Size	75/457mm
Belt Dimensions	75/457mm
Belt Width	75mm
Sanding Area	75/145mm
Cable Length	3m





350W BELT SANDER

KA900E-GB

350W Powerfile Belt Sander & Accs







Feature	Result
Speed	Variable
No Load Speed	900-1600 mpm
Paper Size	451x13mm
Belt Dimensions	451x13mm
Belt Width	13mm
Sanding Area	N/A
Cable Length	3m





18V MOUSE SANDER

BDCDS18-GB

18v Mouse with 1.5Ah Battery







Feature	Result
Speed	Single
No Load Speed	12000 rpm
Sanding Actions	Orbital
Orbital Diameter	1mm
Paper Size	110x110mm
Paper Attachment	Quick-fit
Platten Size	Missing
Cable Length	N/A

YEAR GUARANTEE ANS DE GARANTIE
JAAR GARANTIE JAHRE GARANTIE
ANNI GARANZIA ANOS GARANTIA
XPONIA ERRYHZH ANON GARANTIA
WWW.blackanddecker.com



BDCROS18-GB

18V ROS - 1X 1.5Ah in Carton







Feature	Result
Speed	Single
No Load Speed	12000 rpm
Sanding Actions	Random Orbital
Orbital Diameter	1.3mm
Paper Size	Missing
Paper Attachment	Quick-fit
Platten Size	125mm
Cable Length	N/A
	•





UK SANDER SPEC

(DISCO JUN 19)

(DISCO JUN 19) (DISCO JUN 19) (DISCO JUN 19)

SKU	BEW220-GB	BEW210-GB	BEW230BCA-GB	KA300-GB	KA310-GB	KA450-GB	KA199-GB	BEW200-GB	KA2500K-GB	KA320EKA-GB	KA330EKA-GB	KA280K-GB	BDCDS18-GB	BDCROS18-GB
EAN	5035048704271	5035048704226	5035048709337	5035048188668	5035048203309	5035048561027	5035048561362	5054905238933	5035048466001	5035048203361	5035048405901	5035048271995	5035048655368	5035048664438
PRODUCT TYPE	Finishing	ROS	Mouse/Detail	Finishing	Finishing	Finishing	ROS	Multi	Detail	Finishing	Finishing	Multi	Detail	ROS
POWER (V/W)	150W	230W	55W	135W	240W	220W	240W	200W	120W	240W	270W	220W	18V	18V
PLUG VOLTAGE	230V	230V	230V	230V	230V	230V	230V	230V	230V	230V	230V	230V	N/A	N/A
SPEED	Single	Single	Single	Single	Variable	Single	Single	Single	Single	Variable	Variable	Variable	Single	Single
NO LOAD SPEED	0-14000 rpm	0-13000 rpm	11000 rpm	11000 rpm	15000 rpm	16000 rpm	14000 rpm	12000 rpm	14000 rpm	7000-15000 rpm	5000-13000 rpm	8500/13000 rpm	12000 rpm	12000 rpm
SANDING ACTIONS	Orbital	Random Oribital	Orbital	Orbital	Orbital	Orbital	Random Orbital	Orbital	Orbital	Orbital	Orbital	Multi	Orbital	Random Orbital
ORBITAL DIAMETER	2mm	2.4mm	1.5mm	2mm	2mm	2mm	3mm	2mm	2mm	2mm	2mm	2mm	1mm	1.3mm
PAPER SIZE	92x230mm	Missing	110x110mm	92x230mm	92x230mm	114x114mm	Missing	Missing	110x110mm	92x230mm	92x191mm	Various mm	110x110mm	Missing
PAPER ATTACHMENT	Clip	Quick-fit	Quick-fit	Clip	Quick-fit & Clip	Quick-fit & Clip	Quick-fit	Quick-fit	Quick-fit	Quick-fit & Clip	Quick-fit & Clip	Quick-fit	Quick-fit	Quick-fit
PLATTEN SIZE	91x189mm	125mm	105x105mm	91x189mm	91x189mm	112x108mm	125mm	100x165mm	110x110mm	91x189mm	90x187mm	100x165mm	Missing	125mm
DISC SIZE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	125mm	N/A	N/A
CABLE LENGTH	2m	2m	2m	2m	2.3m	2m	2m	2m	Missing	2.3m	3m	3m	N/A	N/A
DUST EXTRACTION	Yes - Bag	Yes - Bag	Yes - Dust port	Yes - Vac Adpt	Yes - Bag	Yes - Bag	Yes - Bag	Yes - Bag	Missing	Yes - Bag	Yes - Dual fan	Yes - Dust cassette	Yes - Bag	Yes - Bag
SOFT GRIP	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SANDING SHEETS	1	1	8	1	1	1	1	1	8	5	6	12	3	1
KIT BOX	No	No	No - Soft bag	No	No	No	No	No	Yes	Yes	Yes	Yes	No	No
ACCESSORIES	No	No	Yes	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes	No
SOUND POWER	96.0 dB(A)	Missing	79.0 dB(A)	89.0 dB(A)	98.0 dB(A)	96.0 dB(A)	91.5 dB(A)	93.5 dB(A)	84.0 dB(A)	98.0 dB(A)	94.5 dB(A)	89.5 dB(A)	79.2 dB(A)	82.5 dB(A)
SOUND PRESSURE	85.0 dB(A)	Missing	66.0 dB(A)	78.0 dB(A)	87.0 dB(A)	85.0 dB(A)	80.5 dB(A)	82.5 dB(A)	73.0 dB(A)	87.0 dB(A)	83.5 dB(A)	78.5 dB(A)	68.2 dB(A)	71.5 dB(A)
VIBRATION	11.3 m/s ²	Missing	5.6 m/s ²	9 m/s²	9.8 m/s ²	8.3 m/s ²	4.1 m/s ²	9.8 m/s ²	7 m/s²	9.8 m/s ²	7.2 m/s ²	7.8 m/s ²	7.3 m/s ²	3.4 m/s ²
DIMENSIONS	33x9.5x15.5cm	22x12.8x14.8cm	25.7x16.3x9.7cm	34x16x11cm	31.5x14.5x11cm	22x15,6x12.8cm	22x15x13cm	29.5x12x16cm	28x25x11cm	35.5x31x11.2cm	34x30x12cm	38.5x30x14cm	Missing	27.5x16.5x14.5cm
WEIGHT	1.5Kg	1.37Kg	0.98Kg	1.51Kg	1.53Kg	1.485Kg	1.52Kg	1.8Kg	1.82Kg	2.53Kg	3Kg	3.37Kg	Missing	1.80Kg
PRICE	£29.99	£29.99	£29.99	£32.99	£43.99	£43.99	£43.99	£49.99	£53.99	£53.99	£75.99	£75.99	£89.99	£89.99



UK BELT SANDING SPEC





WOOD WORKING



KW750K-GB

750W Planer & Kitbox







Feature	Result
No Load Speed	16500 rpm
Width of Cut	82mm
Depth of Cut	0-2mm
Rebating depth	12mm
Variable Speed	No
Reversable Blades	Yes
Cable Length	3m





1200W ROUTER

KW1200E-GB

1200W Router





1200W Motor for long life and performance



Feature	Result
No Load Speed	8000-28000 rpm
Plunge Depth	55mm
Max. Cutter Diameter	30mm
Depth of Cut	55mm
Variable Speed	Yes
Cable length	3m





CORDLESS - 18V BARE UNITS



18v Hammer Drill (Bare)

BDCH188N-XJ

18v Hammer Drill - BARE

Battery and charger sold separately







Result
38Nm
0-400/0-1350 rpm
20250 bpm
25mm
10mm
10mm





18v Hammer Drill (Bare)

BL188N-XJ

18v Brushless Hammer Drill - BARE

Battery and charger sold separately





11 position clutch provides precise control for drilling into wood, metal, plastic and all screw driving tasks



Feature	Result
Max Torque	52Nm
No Load Speed	0-420/1650 rpm
Beats Per Minute	28050 bpm
Max. Drilling Capacity (Wood)	35mm
Max. Drilling Capacity (Steel)	13mm





18v Drill Driver (Bare)

BDCDD18N-XJ

18v Drill Driver-BARE

Battery and charger sold separately





Feature	Result
Max Torque	28Nm
No Load Speed	0-650 rpm
Chuck Size	10mm
Max. Drilling Capacity (Wood)	25mm
Max. Drilling Capacity (Steel)	10mm





18v Drill Driver (Bare)

BL186N-XJ

18v Brushless Drill Driver- BARE

Battery and charger sold separately













Feature	Result
Max Torque	52Nm
No Load Speed	0-420/1650 rpm
Chuck Size	10mm
Max. Drilling Capacity (Wood)	35mm
Max. Drilling Capacity (Steel)	13mm





18v Impact Driver (Bare)

BDCIM18N-XJ

18v Impact Driver- BARE

Battery and charger sold separately







Impact Driver: 155Nm Torque, For effortless driving & removal of screws & bolts

Feature	Result
Max Torque	155Nm
No Load Speed	0-3000 rpm
Chuck Size	6mm
Chuck Type	Quick Release Hex





18v Recip Saw (Bare)

BDCR18N-XJ

18v Reciprocating Saw-BARE

Battery and charger sold separately







Feature	Result
Strokes	0-3000 /min
Stroke Length	22mm
Tool Free Blade Change	Yes
Variable Speed	No

YEAR GUARANTIE AND DE GARANTIE
JAAR GARANTIE JAHRE GARANTIE
ANNI GARANZIA ANDS GARANTIA
EPONIA ERRYHEH ANDN GARANTIA
WWW.blackanddecker.com



18v Circ Saw (Bare)

BDCCS18N-XJ

18v Circular Saw- BARE

Battery and charger sold separately







Feature	Result
Depth of Cut	43mm
No Load Speed	3700 rpm
Blade Diameter	140mm
Bore Size	12.7mm

Cordless Power & convenience. Part of the 18V Lithium-Ion System.

YEAR GUARANTIE AND DE GARANTIE
JAAR GARANTIE
ANNI GARANZIA ANDS GARANTIA
XPONIA ERSYNZH ANDN GARANTIA
WWW.blackanddecker.com





BDCJS18N-XJ

18v Jigsaw-BARE

Battery and charger sold separately







Feature	Result
Stokes	0-2500 /min
Depth of Cut (Wood)	55mm
Depth of Cut (Steel)	8mm
Depth of Cut (Aluminium)	20mm
Stroke Length	19mm





Charger/Light

BDCU15AN-XJ

18V USB Charger - Bare Unit





BDCCF18N-XJ

18V Compact Flashlight – Bare Unit





Cordless Power & convenience. Both part of the 18V Lithium-lon System.



18v Mouse Sander (Bare)

BDCDS18N-XJ

18V Mouse Sander - Bare Unit







Feature	Result
Speed	Single
No Load Speed	12000 rpm
Sanding Actions	Orbital
Orbital Diameter	1mm
Paper Size	110x110mm
Paper Attachment	Quick-fit
Platten Size	
Cable Length	N/A





BLACK+ DECKER

BDCROS18N-XJ

18V ROS - Bare Unit







Feature	Result
Speed	Single
No Load Speed	12000 rpm
Sanding Actions	Random Orbital
Orbital Diameter	1.3mm
Paper Size	
Paper Attachment	Quick-fit
Platten Size	125mm
Cable Length	N/A







BCG720N-XJ

18V Grinder/Cut Off Tool - Bare Unit







Feature	Result
Disc Size	125mm
No Load Speed	8600 rpm
No Volt Release Switch	No
Soft Start	No





18v Dustbuster (Bare)

BDCDB18N-XJ

18v Dustbuster- BARE

Battery and charger sold separately







Slide pack allows you to keep a backup battery pack charged

Feature	Result
State of Charge Indicator	No
Accessories Included	Yes
Weight	1kg
Power Source	Cordless





To the best of our knowledge, all descriptions, illustrations, specifications in this presentation are correct at the time of publishing. We cannot however be held liable for any inaccuracies of description, illustrations, specifications and reserve the right to change without notification. Our prices may change in line with price increases or promotional activities during the course of the year.

BLACK+DECKER Inc. is a registered trademark of Stanley Black & Decker Inc

Stanley Black & Decker Inc., 2018